

Certificate of Analysis

2021/07/04

AFRICAN CANNAMED CO

145 Beyers Naude Dr,
Northcliff, Johannesburg,
2195

PASSED

SAMPLE INFORMATION

Name: Plain 600mg
Batch No: 210653
Document No: N/A
Retest Date: 02.07.22

Analysis	Method	Specification	Result
Appearance	Visual	Clear Colourless to Pale Yellow	Pass
Odour	-	Faint	Pass
Heavy Metals as Lead ppm	ASTM F2980	10 MAX	<10
Total Plate Count CFU/g	ASTM E1326	300 MAX	No growth
Yeasts & Moulds CFU/g	ASTM E3152	50 MAX	No growth
Total Coliforms CFU/g	-	Negative	Negative
CBD mg/ml	-	18.0 - 22.0	20.0
THC mg/30ml	-	Report	<0
CBN mg/30ml	-	Report	<0

Trevor Hlongwe
Signed 04/07/2021

This report shall not be reproduced, unless in its entirety, without written approval from Bioservices. This report is a Bioservices certification. The results relate only to the material or product analysed. The results are confidential unless explicitly waived otherwise. Void after 1 year from test date.

This document is not intended to relieve the parties involved of any contractual obligations and may not be used in litigation. All Analysis carried out with due care and skill. Liability shall not exceed the fee or commission paid for the service detailed in the document and will only be considered if gross negligence is proven.